


REMARKS

Claims 19-30, and 32-74 have been canceled without prejudice or disclaimer. Applicants reserve the right to prosecute the original subject matter in these claims in one or more continuation or divisional applications. No new matter is contained in the amendments. Applicants respectfully request examination of pending Claims 1-18, and 31.

The Examiner is encouraged to call the undersigned attorney if doing so will facilitate prosecution of the application. No additional fees are believed due; however, the Commissioner is hereby authorized to charge any fees due or credit any overpayment to Deposit Account 19-5029.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'William L. Warren', is written over a horizontal line.

By: William L. Warren
Reg. No. 36,714

September 30, 2005

SUTHERLAND ASBILL & BRENNAN LLP
999 Peachtree Street NE
Atlanta, Georgia 30309-3996
Telephone: (404) 853-8000
Facsimile: (404) 853-8806

Attorney Docket No.: 18377-0067

10/551603

REPLACEMENT SHEET

JC20 Rec'd PCT/PTO 30 SEP 2005

CLAIMS

WE CLAIM:

1. A human pluripotent embryonic stem cell culture, wherein the cells of the culture do not express SSEA1, express SSEA3, SSEA4, Oct4, Tra-1-60, Tra-1-80, and express nestin substantially uniformly.
2. The cell culture of Claim 1, wherein the cell culture was dissociated to an essentially single cell culture.
3. The cell culture of Claim 2, wherein a majority of the cells have an abnormal karyotype.
4. The cell culture of Claim 3, wherein the abnormal karyotype comprises a trisomy of at least one autosomal chromosome.
5. The cell culture of Claim 4, wherein the autosomal chromosome is selected from the group consisting of chromosomes 1, 7, 8, 12, 14, and 17.
6. The cell culture of Claim 5, wherein the autosomal chromosome is chromosome 12 or 17.
7. The cell culture of Claim 3, wherein the abnormal karyotype comprises a trisomy of more than one autosomal chromosome.
8. The cell culture of Claim 7, wherein the autosomal chromosome is selected from the group consisting of chromosomes 1, 7, 8, 12, 14, and 17.
9. The cell culture of Claim 8, wherein the autosomal chromosome is chromosome 12 or 17.
10. A method of culturing a human pluripotent embryonic stem cell comprising,
 - a) selecting a human pluripotent cell using an anti-SSEA4 antibody; and
 - b) maintaining a culture of the cell by passaging the cell using a protease treatment, wherein the cells of the culture do not express SSEA1, express SSEA3, SSEA4, Oct4, Tra-1-60, Tra-1-80, and express nestin substantially uniformly.
11. The method of Claim 10, wherein the protease treatment comprises the sequential use of Collagenase and trypsin.

REPLACEMENT SHEET

12. The method of Claim 10, wherein the cell is maintained by using a protease treatment for at least 13 passages.
13. The method of Claim 10, wherein a majority of the cells of the culture have an abnormal karyotype.
14. The cell culture of Claim 13, wherein the abnormal karyotype comprises a trisomy of at least one autosomal chromosome.
15. The cell culture of Claim 14, wherein the autosomal chromosome is selected from the group consisting of chromosomes 1, 7, 8, 12, 14, and 17.
16. The cell culture of Claim 13, wherein the abnormal karyotype comprises a trisomy of more than one autosomal chromosome.
17. The cell culture of Claim 16, wherein the autosomal chromosome is selected from the group consisting of chromosomes 1, 7, 8, 12, 14, and 17.
18. The method of Claim 11, wherein Collagenase is used at a concentration of approximately 1 mg/ml for approximately 5 minutes, and wherein trypsin is used at a concentration of approximately 0.05% for approximately 30 seconds.
19. A method of providing a human cell culture enriched in neural cells, comprising forming an embryoid body comprising the human pluripotent embryonic stem cell of Claim 10.
20. The method of Claim 19, wherein the embryoid body is formed by culturing the cell with an essentially serum free medium.
21. The method of Claim 20, wherein the essentially serum free medium is a MEDII conditioned medium.
22. The method of Claim 21, wherein the MEDII conditioned medium is a Hep G2 conditioned medium.
23. The method of Claim 21, wherein the MEDII conditioned medium comprises one or more proline residues or a polypeptide containing proline residues.
24. The method of Claim 23, wherein the MEDII conditioned medium comprises proline at a concentration of approximately 50 μ M.
25. The method of Claim 19, wherein the embryoid body is formed by culturing the cell with a minimal medium.
26. The method of Claim 25, wherein the minimal medium is essentially proline free.

REPLACEMENT SHEET

27. The method of Claim 25, wherein the minimal medium comprises one or more proline residues, or a polypeptide containing proline residues.
28. The method of Claim 27, wherein the minimal medium comprises proline at a concentration from approximately 50 μ M to approximately 250 μ M.
29. The method of Claim 25, wherein the minimal medium is essentially FGF free.
30. The method of Claim 25, wherein the minimal medium is essentially MEDII free.
- ~~31. The method of Claim 10, wherein the human pluripotent cell is selected from the group consisting of a human embryonic stem cell, a human inner cell mass (ICM)/epiblast cell, a human primitive ectoderm cell, and a human primordial germ cell.~~
- ~~32. The method of Claim 10, wherein the human pluripotent cell is a human embryonic stem cell.~~
31. 33. A human pluripotent cell produced by the method of Claim 10.
32. 34. A human cell culture enriched in neural cells, produced by any the method of any one of Claims 19-~~32~~,30.
33. 35. The human cell culture of Claim ~~34~~,32, wherein greater than approximately 80% of the human cell culture comprises neural cells.
34. 36. The human cell culture of Claim ~~35~~,33, wherein greater than approximately 90% of the neural cells express tyrosine hydroxylase.
35. 37. A method for treating a patient, comprising a step of administering to the patient having a neural disease a therapeutically effective amount of the human cell culture enriched in neural cells of Claim ~~34~~,32.
36. 38. The method of Claim ~~37~~,35, wherein the neural disease is Parkinson's disease.
37. 39. A method of culturing a human pluripotent embryonic stem cell comprising,
- a) providing a human pluripotent embryonic stem cell culture;
 - b) passaging the cell culture using a protease treatment to thereby disperse the cell to an essentially single cell culture; and
 - c) culturing the essentially single cell culture in the presence of a feeder cell, a conditioned medium, or a minimal medium
- to thereby culture the human pluripotent embryonic stem cell.

REPLACEMENT SHEET

38. ~~40.~~ The method of Claim ~~39,37~~, wherein the protease treatment comprises the sequential use of Collagenase and trypsin.
39. ~~41.~~ The method of Claim ~~40,38~~, wherein Collagenase is used at a concentration of approximately 1 mg/ml for approximately 5 minutes, and wherein trypsin is used at a concentration of approximately 0.05% for approximately 30 seconds.
- ~~42.~~ ~~The method of Claim 39, wherein the human pluripotent cell is selected from the group consisting of a human embryonic stem cell, a human inner cell mass (ICM)/epiblast cell, a human primitive ectoderm cell, and a human primordial germ cell.~~
- ~~43.~~ ~~The method of Claim 39, wherein the human pluripotent cell is a human embryonic stem cell.~~
40. ~~44.~~ The method of Claim ~~39,37~~, wherein the feeder cell is a freshly plated feeder cell.
41. ~~45.~~ The method of Claim ~~44,40~~, wherein the feeder cell is a mouse embryonic fibroblast.
42. ~~46.~~ The method of Claim ~~44,40~~, wherein the feeder cell has been plated for less than 10 hours.
43. ~~47.~~ The method of Claim ~~44,40~~, wherein the feeder cell has been plated for less than 6 hours.
44. ~~48.~~ The method of Claim ~~44,40~~, wherein the feeder cell has been plated for less than 2 hours.
45. ~~49.~~ A human pluripotent embryonic stem cell culture produced by the method of Claim ~~39,37~~, wherein the cells of the culture do not express SSEA1, express SSEA3, SSEA4, Oct4, Tra-1-60, Tra-1-80, and express nestin substantially uniformly.
46. ~~50.~~ The human pluripotent cell embryonic stem culture of Claim ~~49,45~~, wherein a majority of the cells of the culture have an abnormal karyotype.
47. ~~51.~~ The human pluripotent embryonic stem cell culture of Claim ~~50,46~~, wherein the abnormal karyotype comprises a trisomy of at least one autosomal chromosome.

REPLACEMENT SHEET

48. ~~52.~~ The human pluripotent embryonic stem cell culture of Claim ~~51,47~~, wherein the autosomal chromosome is selected from the group consisting of chromosomes 1, 7, 8, 12, 14, and 17.
49. ~~53.~~ The human pluripotent embryonic stem cell culture of Claim ~~50,46~~, wherein the abnormal karyotype comprises a trisomy of more than one autosomal chromosome.
50. ~~54.~~ The human pluripotent embryonic stem cell culture of Claim ~~53,49~~, wherein the autosomal chromosome is selected from the group consisting of chromosomes 1, 7, 8, 12, 14, and 17.
51. ~~55.~~ A method of producing a human pluripotent embryonic stem cell culture enriched in neural cells comprising,
- a) providing a human pluripotent embryonic stem cell culture;
 - b) passaging the cell culture using a protease treatment to thereby disperse the cell culture to an essentially single cell culture;
 - c) culturing the essentially single cell culture in the presence of a feeder cell, a conditioned medium, or a minimal medium; and
 - d) forming an embryoid body comprising the essentially single cell culture by culturing the cell culture with an essentially serum free medium,
- to thereby produce the human cell culture enriched in neural cells.
52. ~~56.~~ The method of Claim ~~55,51~~, wherein protease treatment comprises the sequential use of Collagenase and trypsin.
53. ~~57.~~ The method of Claim ~~56,52~~, wherein Collagenase is used at a concentration of approximately 1 mg/ml for approximately 5 minutes, and wherein trypsin is used at a concentration of approximately 0.05% for approximately 30 seconds.
54. ~~58.~~ The method of Claim ~~55,51~~, wherein the essentially serum free medium is a MEDII conditioned medium.
55. ~~59.~~ The method of Claim ~~58,54~~, wherein the MEDII conditioned medium is a Hep G2 conditioned medium.
56. ~~60.~~ The method of Claim ~~58,54~~, wherein the MEDII conditioned medium comprises one or more proline residues or a polypeptide containing proline residues.

REPLACEMENT SHEET

57. 61.—The method of Claim ~~60~~,56, wherein the MEDII conditioned medium comprises proline at a concentration of approximately 50 μ M.
58. 62.—The method of Claim ~~55~~,51, wherein the feeder cell is a freshly plated feeder cell.
59. 63.—The method of Claim ~~62~~,58, wherein the feeder cell is a mouse embryonic fibroblast.
60. 64.—The method of Claim ~~62~~,58, wherein the feeder cell has been plated for less than 10 hours.
61. 65.—The method of Claim ~~62~~,58, wherein the feeder cell has been plated for less than 6 hours.
62. 66.—The method of Claim ~~62~~,58, wherein the feeder cell has been plated for less than 2 hours.
63. 67.—The method of Claim ~~55~~,51, wherein the minimal medium comprises one or more proline residues, or a polypeptide containing proline residues.
64. 68.—The method of Claim ~~67~~,63, wherein the minimal medium comprises proline at a concentration from approximately 50 μ M to approximately 250 μ M.
65. 69.—The method of Claim ~~55~~,51, wherein the minimal medium is essentially proline free.
66. 70.—The method of Claim ~~55~~,51, wherein the minimal medium is essentially FGF free.
67. 71.—The method of Claim ~~55~~,51, wherein the minimal medium is essentially MEDII free.
72. ~~The method of Claim 55, wherein the human pluripotent cell culture is selected from the group consisting of a human embryonic stem cell culture, a human inner cell mass (ICM)/epiblast cell culture, a human primitive ectoderm cell culture, and a human primordial germ cell culture.~~
73. ~~The method of Claim 55, wherein the human pluripotent cell culture is a human embryonic stem cell culture.~~
68. 74.—A human cell culture enriched in neural cells produced by the method of Claim ~~55~~,51.

REPLACEMENT SHEET

69. ~~75.~~ A method for treating a patient, comprising a step of administering to the patient having a neural disease a therapeutically effective amount of the neural cell of Claim ~~74-68.~~
70. ~~76.~~ The method of Claim ~~75,69,~~ wherein the neural disease is Parkinson's disease.
71. ~~77.~~ The human cell culture of Claim ~~74,68,~~ wherein greater than approximately 80% of the human cell culture comprises neural cells.
72. ~~78.~~ The human cell culture of Claim ~~77,71,~~ wherein greater than approximately 90% of the neural cells express tyrosine hydroxylase.
73. ~~79.~~ A method for treating a patient, comprising a step of administering to the patient having a neural disease a therapeutically effective amount of the human cell culture enriched in neural cells of Claim ~~74-68.~~
74. ~~80.~~ The method of Claim ~~79,73,~~ wherein the neural disease is Parkinson's disease.